Index for Volume 74 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses.

Acremonium sp., endophyte on turfgrass, fungicide relation, 879
—*A. coenophialum*, on tall fescue, nematode reproduction, 757
Actinidia deliciosa, root knot nematode of, occurrence in South Carolina, 81
Adaskaveg, J. E., 173, 341, 558
Afek, U., 66, 117
African cassava mosaic virus, etiology and control, 404, (405-407)
Agrichemicals, use and risk management, employee liability, symposium, 108
Aguiero, V. M., 923
Air pollution (see also Ozone)
—acidic fog, ornamental flower crop injury, 310
—forest decline in Germany, epidemiology, 4, (6-10)
Akem, C. N., 216
Akiew, E., 615
Albugo occidentalis, on spinach, control with metalaxyl, 913
Alcorn, S. M., 219
Aldrich, J. H., 203
Alexander, S. A., 552
Alfalfa
—*Aphanomyces euteiches* of, resistance specificity, 164, (164)
—leaf spots of, yield and quality affected by in North Carolina, 241
—Phoma foliar blights, symptom expression, isolates, 668
—Phoma root infection, pathogenicity, 680, (681, 682)
Alfalfa mosaic virus, on tobacco, genotype variation, 956
Allan, R. E., 852
Allen, W. R., 81
Almond, shothole disease, mist generator and monitoring system, 558
Alternaria spp.
—*A. alternata*: on cucumber, host range, 227; on mandarin fruit, mycotoxin association, 415, (416); on pear, new disease in Greece, 720
—*A. angustiovoidea*, on leafy spurge, pathogenicity, 601, (603)
—*A. cucumerina*, on muskmelon, resistance inheritance, 868
—*A. solani*, on potato, resistance and rotation effect, 849
Alvarez, E., 917
American Phytopathological Society, 1990 annual meeting program, 454
Ammon, V., 989
Amphobotrys ricini, on poinsettia, new disease, 828
Andersen, P. C., 203
Anderson, D. L., 683
Anderson, P. K., 938
Anderson, R. L., 969
Antitranspirant, plant protection use, in China, 263
Aphanomyces euteiches
—on alfalfa, resistance specificity in seedlings, 164
—detection in soil, wet-sieving/baiting technique, 716
—on pea, green manure effect, 651
Aphis gossypii, cucumber mosaic virus vector, in muskmelon, transmission correlated with titer, 857
Apiognomonia veneta, on sycamore leaves, factors, 989
Apios americana
—cucumber mosaic and Desmodium yellow mottle viruses, 151,(152)
—*Sclerotinia sclerotiorum* on, new host, 720
Apple
—*Botryosphaeria obtusa* on, fungicides for, 1029
—*Erwinia amylovora* in tissues of, population, 711, (712)
—flyspeck of, conidial dispersal, 643
—Phytophthora root and stem rot, occurrence in stool beds, 141, (143)
—scab of, disease forecasting and spray program, 638
—stem pitting agent, virus isolation, 610, (611-613)
Apricot, bacterial canker complex, nematode relation, 394
Arauz, L. F., 1029
Archontophoenix alexandrae, *Pseudomonas solanacearum* on, new host in Australia, 615
Armitage, C. R., 356
Armoracia rusticana, root rot complex, 391
Ascochyta rabiei, on chickpea, resistance patterns to races of, 127
Ash, ash yellows, decline and geographic range, 604
Asparagus
—Fusarium crown and foot rot, etiology, 938
—Stemphylium purple spot, debris management, 413
Aspergillus spp.
—*A. flavus*: on corn, kernel infection, 627, 978; in cottonseed, aflatoxin contamination, atoxigenic strain effect, 233
—*A. glaucus*, on corn, moisture effects, 985
—*A. parasiticus*, on corn in Mississippi, 978
Assemi, M., 418
Auld, B. A., 796
Avocado, Phytophthora root rot of, resistance to, quantitative analysis, 882
Azalea, Phytophthora root rot, fungicide treatment effect on survival, 635

Bachi, P. R., 761
Bacillus subtilis, on maple seedlings, survival for two years, 608
Balsam fir, root and butt rot of, 615
Banik, M. T., 857
Barbara, D. J., 974
Barley
—black chaff of, heat treatment for eradication, 816
—net blotch, virulence spectrum of isolates in Mediterranean, 230
—root rot, imazalil seed treatment for, 246
—spot blotch and resistance genetics, 207
Barley yellow dwarf virus
—on cereals, in California, 111
—importance in Morocco, 291
Barnes, J. S., 671
Barrows-Broaddus, J., 1002
Barta, D. J., 81
Barthe, G. A., 168
Bartz, J. A., 505
Bean calico mosaic virus
—on bean germ plasm collections, genetic diversity, 911
—new bean disease, whitefly-transmitted, 81
Bean pod mottle virus, on soybean, distribution in Kentucky, 132
Beaupré, C. M-S., 614
Beet curly top virus, pseudo-curly top virus compared to, serology, 17, (19)
Beet necrotic yellow vein virus, on sugar beet, fumigation for control, 31
Beet western yellows virus, on *Brassica*, resistance, 327
Beltrá, R., 615
Bemisia tabaci, on bean, bean calico mosaic vector, 81
Bennett, G. A., 304
Benson, D. M., 635
Bentgrass (see also Turfgrass)
—nematodes of, spatial distribution, in Kansas, 660
—Typhula blight and pink snow mold, fungicides for, 687
Bentz, S. E., 44
Berggren, G. T., 158, 485, 501, 614
Bergstrom, G. C., 530
Bernard, E. C., 757
Berner, D. K., 158, 614
Bertaccini, A., 40
Bertrand, P. F., 698
Biddle, J. A., 908
Biever, K. D., 327
Biggs, A. R., 280
Biological control
—*Alternaria angustiovoidea* for leafy spurge, 601, (603)
—*Chondrostereum purpureum* for *Prunus serotina*, risk analysis, 189, (189)
—*Colletotrichum* and *Phomopsis* for *Xanthium*, mycoherbicide, 796
—*Debaryomyces hansenii* for mold and sour rot of citrus, postharvest, 134
—*Macrophomina phaseolina* for *Hydrilla*, 1035
—rhizobacteria for *Pythium*, bio-priming seed treatment, 368
Bipolaris spp. (see also *Cochliobolus*)
—*B. sorokiniana*, on barley: imazalil seed treatment for, 246; resistance genetics, 207; on wheat, forage production effect, 982; on wheat, tillage effect, 1006
—*B. urochloae*, on pearl millet, leaf spot in Zimbabwe, 931
—*B. zeicola*, on corn, new pathotype, 530
Birch, dieback and decline, in Ontario, 331
Bishop, A. L., 692
Bjarko, M., 816
Black, L. L., 69, 1016
Black, M. C., 913
Blackberry, gray mold, benomyl-resistant strains, 331
Blanchette, R. A., 195
Blazquez, C. H., 589
Blueberry (see also Turfgrass)
—mummy berry incidence, pruning method, 199
—postharvest fungi on fruit, 285
Bluegrass (see also Turfgrass)
—summer patch, first report in Ohio, 252
—tiller and rhizome growth, smut of, 886
Bluestem, leaf spot disease of, 442
Bockus, W. W., 238
Bonman, J. M., 306
Bonn, W. G., 711
Brodovsky, D., 1006
Borth, W. B., 434
Bosque-Perez, N. A., 372
Botryosphaeria obtusa, on apple, fungicides for, 1029
Botrytis spp.
—*B. cinerea*: benomyl-resistant strains, frequency on blackberry in Oregon, 331; on sugar beet, resistance, 353

Index for Volume 74 of Plant Disease

AUTHOR AND SUBJECT INDEX. Page numbers of illustrations are in parentheses.

Acremonium sp., endophyte on turfgrass, fungicide relation, 879
—*A. coenophialum*, on tall fescue, nematode reproduction, 757
Actinidia deliciosa, root knot nematode of, occurrence in South Carolina, 81
Adaskaveg, J. E., 173, 341, 558
Afek, U., 66, 117
African cassava mosaic virus, etiology and control, 404, (405-407)
Agrichemicals, use and risk management, employee liability, symposium, 108
Aguiero, V. M., 923
Air pollution (see also Ozone)
—acidic fog, ornamental flower crop injury, 310
—forest decline in Germany, epidemiology, 4, (6-10)
Akem, C. N., 216
Akiew, E., 615
Albugo occidentalis, on spinach, control with metalaxyl, 913
Alcorn, S. M., 219
Aldrich, J. H., 203
Alexander, S. A., 552
Alfalfa
—*Aphanomyces euteiches* of, resistance specificity, 164, (164)
—leaf spots of, yield and quality affected by in North Carolina, 241
—Phoma foliar blights, symptom expression, isolates, 668
—Phoma root infection, pathogenicity, 680, (681, 682)
Alfalfa mosaic virus, on tobacco, genotype variation, 956
Allan, R. E., 852
Allen, W. R., 81
Almond, shothole disease, mist generator and monitoring system, 558
Alternaria spp.
—*A. alternata*: on cucumber, host range, 227; on mandarin fruit, mycotoxin association, 415, (416); on pear, new disease in Greece, 720
—*A. angustiovoidea*, on leafy spurge, pathogenicity, 601, (603)
—*A. cucumerina*, on muskmelon, resistance inheritance, 868
—*A. solani*, on potato, resistance and rotation effect, 849
Alvarez, E., 917
American Phytopathological Society, 1990 annual meeting program, 454
Ammon, V., 989
Amphobotrys ricini, on poinsettia, new disease, 828
Andersen, P. C., 203
Anderson, D. L., 683
Anderson, P. K., 938
Anderson, R. L., 969
Antitranspirant, plant protection use, in China, 263
Aphanomyces euteiches
—on alfalfa, resistance specificity in seedlings, 164
—detection in soil, wet-sieving/baiting technique, 716
—on pea, green manure effect, 651
Aphis gossypii, cucumber mosaic virus vector, in muskmelon, transmission correlated with titer, 857
Apiognomonia veneta, on sycamore leaves, factors, 989
Apios americana
—cucumber mosaic and Desmodium yellow mottle viruses, 151,(152)
—*Sclerotinia sclerotiorum* on, new host, 720
Apple
—*Botryosphaeria obtusa* on, fungicides for, 1029
—*Erwinia amylovora* in tissues of, population, 711, (712)
—flyspeck of, conidial dispersal, 643
—Phytophthora root and stem rot, occurrence in stool beds, 141, (143)
—scab of, disease forecasting and spray program, 638
—stem pitting agent, virus isolation, 610, (611-613)
Apricot, bacterial canker complex, nematode relation, 394
Arauz, L. F., 1029
Archontophoenix alexandrae, *Pseudomonas solanacearum* on, new host in Australia, 615
Armitage, C. R., 356
Armoracia rusticana, root rot complex, 391
Ascochyta rabiei, on chickpea, resistance patterns to races of, 127
Ash, ash yellows, decline and geographic range, 604
Asparagus
—Fusarium crown and foot rot, etiology, 938
—Stemphylium purple spot, debris management, 413
Aspergillus spp.
—*A. flavus*: on corn, kernel infection, 627, 978; in cottonseed, aflatoxin contamination, atoxigenic strain effect, 233
—*A. glaucus*, on corn, moisture effects, 985
—*A. parasiticus*, on corn in Mississippi, 978
Assemi, M., 418
Auld, B. A., 796
Avocado, Phytophthora root rot of, resistance to, quantitative analysis, 882
Azalea, Phytophthora root rot, fungicide treatment effect on survival, 635

Bachi, P. R., 761
Bacillus subtilis, on maple seedlings, survival for two years, 608
Balsam fir, root and butt rot of, 615
Banik, M. T., 857
Barbara, D. J., 974
Barley
—black chaff of, heat treatment for eradication, 816
—net blotch, virulence spectrum of isolates in Mediterranean, 230
—root rot, imazalil seed treatment for, 246
—spot blotch and resistance genetics, 207
Barley yellow dwarf virus
—on cereals, in California, 111
—importance in Morocco, 291
Barnes, J. S., 671
Barrows-Broaddus, J., 1002
Barta, D. J., 81
Barthe, G. A., 168
Bartz, J. A., 505
Bean calico mosaic virus
—on bean germ plasm collections, genetic diversity, 911
—new bean disease, whitefly-transmitted, 81
Bean pod mottle virus, on soybean, distribution in Kentucky, 132
Beaupré, C. M-S., 614
Beet curly top virus, pseudo-curly top virus compared to, serology, 17, (19)
Beet necrotic yellow vein virus, on sugar beet, fumigation for control, 31
Beet western yellows virus, on *Brassica*, resistance, 327
Beltrá, R., 615
Bemisia tabaci, on bean, bean calico mosaic vector, 81
Bennett, G. A., 304
Benson, D. M., 635
Bentgrass (see also Turfgrass)
—nematodes of, spatial distribution, in Kansas, 660
—Typhula blight and pink snow mold, fungicides for, 687
Bentz, S. E., 44
Berggren, G. T., 158, 485, 501, 614
Bergstrom, G. C., 530
Bernard, E. C., 757
Berner, D. K., 158, 614
Bertaccini, A., 40
Bertrand, P. F., 698
Biddle, J. A., 908
Biever, K. D., 327
Biggs, A. R., 280
Biological control
—*Alternaria angustiovoidea* for leafy spurge, 601, (603)
—*Chondrostereum purpureum* for *Prunus serotina*, risk analysis, 189, (189)
—*Colletotrichum* and *Phomopsis* for *Xanthium*, mycoherbicide, 796
—*Debaryomyces hansenii* for mold and sour rot of citrus, postharvest, 134
—*Macrophomina phaseolina* for *Hydrilla*, 1035
—rhizobacteria for *Pythium*, bio-priming seed treatment, 368
Bipolaris spp. (see also *Cochliobolus*)
—*B. sorokiniana*, on barley: imazalil seed treatment for, 246; resistance genetics, 207; on wheat, forage production effect, 982; on wheat, tillage effect, 1006
—*B. urochloae*, on pearl millet, leaf spot in Zimbabwe, 931
—*B. zeicola*, on corn, new pathotype, 530
Birch, dieback and decline, in Ontario, 331
Bishop, A. L., 692
Bjarko, M., 816
Black, L. L., 69, 1016
Black, M. C., 913
Blackberry, gray mold, benomyl-resistant strains, 331
Blanchette, R. A., 195
Blazquez, C. H., 589
Blueberry (see also Turfgrass)
—mummy berry incidence, pruning method, 199
—postharvest fungi on fruit, 285
Bluegrass (see also Turfgrass)
—summer patch, first report in Ohio, 252
—tiller and rhizome growth, smut of, 886
Bluestem, leaf spot disease of, 442
Bockus, W. W., 238
Bonman, J. M., 306
Bonn, W. G., 711
Brodovsky, D., 1006
Borth, W. B., 434
Bosque-Perez, N. A., 372
Botryosphaeria obtusa, on apple, fungicides for, 1029
Botrytis spp.
—*B. cinerea*: benomyl-resistant strains, frequency on blackberry in Oregon, 331; on sugar beet, resistance, 353

—*B. squamosa*, on onion, fungicides for, efficacy, 235
Bottalico, A., 415
Bowers, J. H., 771
Brachiaria humidicola, rust of in South America, 720
Bradbury, J. F., 81
Brammall, R., 1037
Brasher, B. S., 828
Braun, E. J., 908
Bremia lactucae, metalaxyl insensitivity on lettuce in Florida, 81
Brenneman, T. B., 277
Brink, G. E., 51
Brlansky, R. H., 168, 297, 863
Bromegrass, head smut of, first report in Saskatchewan, 615
Bromus willdenowii, powdery mildew of, occurrence in New Zealand, 828
Brown, G. E., 927
Brown, J. K., 81, 720
Brown, P. R., 581, 584
Brown, W. L., 828
Buchloe dactyloides, leaf smut of, in Texas, 80
Buddenhagen, I. W., 372
Bugbee, W. M., 353
Bulger, M. A., 514
Burke, D. W., 720
Burnett, P. A., 525
Burns, B. S., 604
Burpee, L. L., 687
Burton, G. W., 331

Cabauatan, P. Q., 695
Cabrera, I., 80
Cadet, P., 962
Caldwell, R. W., 304
Callan, N. W., 368
Calvert, L., 648
Campbell, C. L., 241, 874
Campbell, L. G., 353
Campbell, R. N., 889, 894
Canola, black leg, in Kentucky, 938
Capsicum annuum
—bacterial spot, three new races in Taiwan, 252
—Phytophthora blight, survival factors in soil, 771
—serrano golden mosaic virus on, whitefly-transmitted, 720
Carling, D. E., 860, 901
Carnation, acidic fog injury, 310
Carpophilus spp., *Mucor piriformis* vector, on peach fruit, 287
Carrot
—leaf blight, cover photo, June
—scab, in Michigan, 1037
Caruso, F. L., 660
Casper, D. H., 555
Cassava, mosaic virus, etiology and control, 404
Castano, M., 648
Castillo, S., 77
Catharanthus roseus, chrysanthemum yellows mycoplasmalike organisms of, detection with dot hybridization and blot analysis, 40
Centrosema spp., leaf spot of, *Cylindrocladium* cause, 935
—*C. pubescens*, soybean mosaic virus on, seed transmission, 648, (649, 650)
Cephalosporium gramineum
—inoculum in infested residue, host genotype effects, 238
—on wheat, resistance related to strawbreaker resistance, 852
Cercospora zebrina, on white clover, host range and cultural characteristics, 874
Cercosporidium personatum, on peanut, fungicide and irrigation factors, 277
Cerkauskas, R. F., 1037
Cervantes, L. A., 577
Chaetosiphon fragaefolii, strawberry mottle virus vector
—aphid numbers related to virus incidence, 365
—from *Chenopodium*, 320
Chakraborty, S., 379
Chalutz, E., 134
Chamaecyparis nootkatensis, decline of, symptoms and fungi associated, in Alaska, 267, (271)
Chang, C. A. 593
Chang, R. J., 1037
Chapman, M. A., 81
Chenopodium quinoa, strawberry mottle virus on, transmission to strawberry, 320
Cherry
—sour, blossom blight control with fungicides, 808
—sweet: canker and dieback, etiology in Washington, 430; Cytospora and bacterial cankers, control in Oregon, 577
Cherry laurel, bacterial leaf spot of, in Spain, 615
Chestnut, N. E., 577
Chickpea
—Ascochyta blight, resistance patterns in races, 127
—Pythium seed rot and damping-off, control in western USA and Spain, 563
—virus disease of, epidemiology in California, 372
Chingombe, P., 931
Cho, J. J., 211
Choanephora infundibulifera, on soybean, leaf blight in Louisiana, 614
Chondrostereum purpureum
—biocontrol agent for *Prunus serotina*, 189, (189)
—on birch, decline in Ontario, 331
Christensen, C. M., 985
Chrysanthemum
—acidic fog injury, 310
—petal necrosis, cover photo, April
—yellows disease, cover photo, January
Chrysanthemum spp., chrysanthemum yellows on, dot hybridization and blot analysis, 40
Circulifer tenellus, on radish, virescence agent transmitted by, 252
Citrus
—bacterial spot of, detection using entrapment immunofluorescence, 863, (866)
—blight, protein association, 168
—canker and bacterial spot of, cultivar-specific interactions of strains, 753
—green and blue mold and sour rot, postharvest biocontrol, 134
—Phytophthora foot rot, rootstock resistance, method, 66, (67)
—*Phytophthora parasitica* virulence to, 138
—Phytophthora root rot of: irrigation effect, 21; tolerance in chlamydospore-infested soil, 743
—postharvest diseases, imazalil application and factors, 927
Citrus reticulata, *Alternaria alternata* on, fruit rot and mycotoxins, 415, (416)
Citrus tristeza virus, strains of, inclusion bodies produced, seven hosts, 297
Civerolo, E. L., 863
Clark, C. A., 151
Clark, L. E., 1006
Clavibacter michiganense
—on corn, seed transmission, 908
—on four-o'clock, hypersensitivity induced, 58
—on wheat: cover photo, December; in Illinois, 1037
Clements, S. J., 365
Clerjeau, M., 120
Clover, white
—Cercospora leaf and stem disease, host range and cultural characteristics, 874
—root-knot of, 1037
Cochliobolus (see also *Bipolaris*)
—*C. sativus*, on wheat, relation to other diseases, cultivars, 224
Coconut, red ring of, cover photo, May
Coffey, M. D., 690, 882
Cohen, S., 248
Coleus spp., viroid from, in Brazil, 80
Colletotrichum spp., on strawberry, variation, 69, (73, 74)
—*C. acutatum*, on strawberry, detection and survival in soil, 161
—*C. fragariae*, on strawberry, resistance factors, 1016
—*C. gloeosporioides*: on mango, blotch miner association in micronesia, 253; on *Stylosanthes scabra*, leaf wetness effect, 379
—*C. orbiculare*, on *Xanthium* spp., pathogenicity and biocontrol, 796
Comstock, J. C., 530
Conner, R. L., 224
Conti, M., 40
Converse, R. H., 320, 814
Cook, A. A., 309
Cooksey, D. A., 180
Corn
—*Aspergillus* and *Fusarium* on kernels of, 627
—*Aspergillus flavus* and *A. parasiticus* on, relative aggressiveness, 978
—*Aspergillus glaucus*, moisture content effect, blends, 985
—*Bipolaris zeicola* on, new pathotype, 530
—*Clavibacter michiganense* on, seed transmission, 908
—*Fusarium moniliforme*, on ears and stalks, inoculation methods, 952
—Gibberella ear rot of, mycotoxin changes in storage, 304
—leaf spot, race 1, cover photo, November
—northern leaf blight, gene *Htl* predominance, 530
—root diseases and yield decline, soil fungus populations, 704
—sweet: *Pythium* damping-off, biocontrol for, 368; seedborne *Penicillium* of, seedling blight factors, 36; sorghum downy mildew of, in Illinois, 183; Stewart's wilt, rating and maturity relation, 792
Cornus kousa, anthracnose of, resistance, 828
Cotton
—aflatoxin contamination of seed, atoxigenic strain effect, 233
—*Pythium*, metalaxyl, and mycorrhizal relation, 117
—seedling damping-off, incidence and etiology in Spain, 597
Cotty, P. J., 233
Cover color photo
—blueberry red leaf, December
—buffalograss leaf smut, January
—carrot leaf blight, June
—Centrosema leaf spot, November
—chrysanthemum, petal necrosis, acid fog effect, April
—chrysanthemum yellows disease, January
—coconut red ring, May
—*Colletotrichum gloeosporioides*, on *Stylosanthes scabra*, May
—corn leaf spot, November
—cucumber leaf spot, March
—*Cylindrosporium quercinum*, oak leaf spot, August
—cypress, canker of, April

—*Dodonaea viscosa*, yellows disease on, June
—escarole, virus necrosis, May
—*Fusarium moniliforme* on loblolly pine, January
—*Gymnoconia nitens* on blackberry, April
—*Gymnosporangium clavipes* on hawthorn, August
—impatiens foliar blight, bacterial, February
—lettuce corky root, December
—mandarin, gray heart rot, June
—mango, anthracnose of, July
—*Mucor piriformis*, on Asian pear, August
—mustard leaf blight, October
—oak leaf spangle gall, November
—oats, crown rust of, August
—odontoglossum ringspot virus, on *Cymbidium*, September
—*Phellinus robustus*, on almond, May
—pine fusiform rust, December
—pine seedling root rot, March
—*Plasmopara lactucae-radicis* on lettuce roots, February
—*Pucciniastrum hydrangeae*, on hemlock, July
—raspberry, late yellow rust, September
—*Rhizoctonia solani* on soybean, February
—*Rhynchospora inundata*, smut of, July
—*Sclerotinia sclerotiorum*: on sweet pepper, June; on winged bean, July
—sorghum downy mildew, on sweet corn, February
—soybean, sudden death syndrome, October
—*Stigmina platani* on sycamore, September
—*Synchytrium desmodii* on *Desmodium*, September
—*Tubakia dryina*, on oak, August
—turmeric leaf spot, October
—watermelon fruit blotch: January, April
—wheat bacterial mosaic, December
—wheat bacterial sheath rot, November
—wheat glume blotch, October
—wheat streak mosaic virus, on wheat, March
—*Xanthomonas campestris* on *Lobelia*, March
Covey, R. P., 711
Cowpea, *Macrophomina* infection of, mechanism, 720
Cranberry, Phytophthora root rot and dieback, in Massachusetts, 664, (665, 666)
Criconema mutabile, bacterial canker association, on apricot, 394
Criconemella xenoplax, on small grain and field crops, host suitability, 698
Crinipellis perniciosa, basidiocarp in mycelial mats, 493
Cronartium spp.
—*C. quercuum*: on loblolly pine, cover photo, December; resistance, 1013
—*C. ribicola*, on white pine, in New Mexico, 938
Crucifer, green manure from, pea root rot affected by, 651
Cruz, F. J., 80
Csinos, A. S., 671, 1025
Cucumber, leaf spot
—cover photo, March
—host range of pathogen, 227
—*Ulocladium* cause in New York, 824, (825)
Cucumber mosaic virus
—on groundnut, 151, (152)
—in muskmelon, determination by ELISA correlated with aphid transmission, 857
—strain from China, associated satellite RNA, 819, (821, 822)
Cylindrocladium spp.
—*C. colhounii*: on *Centrosema* spp., leaf spot, 935, (936); cover photo, November
—*C. crotalariae*, on peanut, fumigants for, 438, (441)
—*C. scoparium*, on guava, storage disease, 253
Cylindrosporium quercinum, on red oak, cover photo, August
Cymbidium mosaic virus, on orchids, control, 621
Cymbidium ringspot virus, on orchids, control, 621
Cypress, canker, cover photo, April
Cytospora cincta, on sweet cherry: canker and dieback etiology, in Washington, 430; control in Oregon, 577

Dainello, F. J., 913
Dally, E. L., 40
Damsteegt, V. D., 844, 992
Dankers, W., 573, 800
Daquioag, R. D., 923
D'Arcy, C. J., 147, 359, 1037
Datnoff, L. E., 81, 394, 828
Davis, R. E., 40
Davis, R. M., 692
Debaryomyces hansenii, biocontrol agent for mold and sour rot of citrus, postharvest, 134
de Jong, M. D., 189
de Milliano, W. A. J., 931
deMooy, C. J., 720
Dendranthema grandiflora, bacterial leaf spot of, isolation from soil, leaves, and buds, 300
Dernoeden, P. H., 879
Derrick, K. S., 168
Desmodium ovalifolium, wart disease
—cover photo, September
—survival and yield effects, 676
Desmodium yellow mottle virus, on groundnut, 151, (152)
de Souza, S. M., 969
de Vallavieille-Pope, C., 739
Dezman, D. J., 927
Dhanvantari, B. N., 124, 394
Di, R., 56
Dickstein, E. R., 493
Discula sp., on dogwood, resistance, 828
Disease diagnosis, muskmelon disorders, expert system, 83
Disease forecasting, apple scab and grape black rot, spray programs, 638
Disease management practices
—traditional farmers, 96
—tropical pastures, 945
Dodd, J. L., 530
Dodonaea spp., yellows disease, viruslike particles and dsRNA, 434, (435, 436)
—*D. viscosa*, yellows disease, cover photo, June
Douglas, S. M., 40
Dowler, W. M., 601
Drechslera tritici-repentis, on wheat, first report in Arkansas, 252
Drepper, W. J., 952
Drosophila melanogaster, *Mucor piriformis* vector, on peach fruit, 287
Dunn, P. H., 426
Duthie, J. A., 241
Duveiller, E., 932
Dwinell, L. D., 530
Dyer, A. T., 604

Eastburn, D. M., 161
Edgar Davis, W. E., 608
Editorial
—Higgins, V. J., world food supply, 400
—Paddock, W. C., mode of thinking, 728
Elliott, M. S., 621
Ellis, M. A., 638
Elmer, W. H., 331, 938
El Yamani, M., 291
Endophyte
—on Italian ryegrass, 183
—in tall fescue, nematode reproduction in, 757
Enebak, S. A., 195
Engelhard, A. W., 528
Engelke, M. C., 80
Enterobacter cloacae, on onion, internal decay, 692, (693)
Epidemiology
—chickpea viruses, in California, 372
—tree pathogens, fruits and nuts, 341
Epstein, A. H., 56
Erb, W. A., 996
Eremia lactucae, on lettuce, fungicide control, 829
Eremochloa ophiuroides, *Rhizoctonia* spp. on, pathogenicity, 510
Erratum, vol. 73, no. 10, 1989, 140
Erwinia spp.
—*E. amylovora*, in apple fruit, population in tissue, 711, (712)
—*E. carotovora*, strains of, variation in pathogenicity, 505
—*E. chrysanthemi*, on tomato, pith necrosis caused by, 615
—*E. rhapontici*, on wheat, pink seed in Idaho, 81
—*E. stewartii*, on sweet corn, maturity and ration relation, 792
Erysiphe graminis
—on prairie grass in New Zealand, 828
—on winter wheat, resistance gene identification, 747
Escarole, virus necrosis, cover photo, May
Euphorbia esula, *Alternaria angustiovoidea* on, biocontrol agent, 601
Evans, D. W., 327
Everson, R. J., 959
Exobasidium vaccinii, blueberry red leaf, cover photo, December
Exserohilum turcicum, on corn, gene *Htl* predominance in New York, 530

Facteau, T. J., 577
Falk, B. W., 111
Fardelmann, D., 753
Fargette, D., 404
Fauquet, C., 404
Feld, S. J., 21
Fenn, M. E., 426
Fernandez, J. A., 668
Ferreira, J. F., 530
Festuca arundinacea, endophytes of, nematode reproduction in, 757
Fisher, D. E., 183
Flora, C. B., 105
Focus, 3, 95, 188, 335, 340, 403, 452, 536, 620, 729, 836
Ford, R. E., 147, 549
Forer, L. B., 702
Forest decline (see also Tree decline)
—in Germany, evaluation, 4, (6-9)
Forster, R. L., 81, 246
Fourest, E., 816
Fouse, D. C., 418
Fox, L., 327
Frankliniella occidentalis, virus relation in Ontario, 81
French, J. C., 615
Fry, S. M., 522
Fry, W. E., 849
Fuentes, A. L., 938
Fujimoto, F. M., 274
Fulbright, D. W., 974
Fumigants
—dazomet and methyl bromide, for corky root of lettuce, 1022
—methyl isothiocyanate, for black rot of peanut, 438
—sulfur dioxide, for grape postharvest decay, 418

Fumigation
—in corn, for soilborne pathogens, 704
—sugar beet rhizomania controlled by, 31
Fungicides (general) (see also Fungicides, specific)
—on apple, for *Botryosphaeria obtusa*, activity, 1029
—on azalea, landscape survival from Phytophthora root rot, 635
—ethylene bisdithiocarbamate, loss of, impact of, 829
—management, *Monilinia fructicola* on cherry, 280
—metalaxyl resistance in *Pythium*, fosetyl-Al resistance induced, 690
—on peanut, tillage and crop effects, 1025
—postinfection and antisporulant activities of, for cherry blight, 808
—Rhizoctonia limb rot of peanut, control factors affecting, 671
—*Rhizoctonia solani* sensitive to, 860
—seed treatment, wheat root rot, take-all, and eyespot, 782
—soilborne pathogens in forest nursery, management, 195
—statistical procedures, use of microcomputer utilities, 333
—on turfgrass, relation to endophyte and nematodes, 879
Fungicides (specific) (see also Fungicides, general)
—benomyl: *Botrytis cinerea* resistant to, in Oregon, 331; tomato crown and root rot control, 996
—chlorothalonil, for peanut diseases, irrigation effect, 277
—dicarboximide, for onion leaf blight control, efficacy, 235
—dimethomorph, grapevine downy mildew, 114
—flutolanil and tolclofos-methyl, on wheat root and culm diseases, 788
—imazalil: barley seed treatment for root rot, 246; for citrus fruit decay, postharvest application, 927; wheat seed treatment, forage yield, 982
—metalaxyl: lettuce downy mildew insensitive to, 81; mycorrhizal colonization affected by, 117; white rust of spinach control, 913
—propiconazole and triadimefon, dollarspot suppression by, in creeping bentgrass, 687
—thiabendazole, *Helminthosporium solani* resistant to, 614
Funt, R. C., 638
Fusarium spp.
—*F. acuminatum*, on horseradish, root rot complex, 391
—*F. moniliforme*: on corn, kernel infection, 627; on corn ears and stalks, inoculation methods, 952; on loblolly pine, Cotyledonary blight, cover photo, January
—*F. oxysporum*: on muskmelon, yield, disease, and root colonization, 778; on tomato, root discoloration from, 894, (896); tomato crown and root rot, benomyl disease management, 996; tomato crown and root rot, in New Brunswick, 1037; tomato crown and root rot pathogen, host range, 569
—*F. proliferatum*, on asparagus, etiology, 938
—*F. solani*, on bush snap bean, genetic and cultural control, 61
—*F. subglutinans*: on loblolly pines, seed colonization, 1002, (1004); on luchu pines, in Japan, 530

Gabor, B. K., 882
Gabrial, S. A., 132
Gaeumannomyces graminis, on wheat, fungicide seed treatments, 782
Galletta, G. J., 1016
Garcia, C., 676
Gardiner, M. L., 792
Gardner, D. E., 434
Garton, R., 81
Gascho, G. J., 704
Gazaway, W. S., 615
George, M. W., 394
Gerlach, W. W. P., 252
Gerlachia oryzae, on rice, resistance, 306
German, T. L., 274, 434
Gibberella zeae
—on corn ears, mycotoxin production, 304
—on wheat, scab, quality measurements, 959
Gilbertson, R. L., 322
Gitaitis, R. D., 58
Glaszmann, J. C., 306
Gleason, M. L., 828
Glomerella cingulata, on bean, first report in Ontario, 394
Glomus intraradices, on cotton, onion, and pepper, metalaxyl and *Pythium* effect, 117
Golden, A. M., 1037
Golino, D. A., 252
Gonsalves, D., 154, 819
Gordon, T. R., 778
Gossen, B. D., 615
Gottwald, T. R., 753
Gould, A. B., 203
Graham, J. H., 743, 753
Grape
—black rot of, fungicide spray program and forecasting, 638
—postharvest decay, sulfur dioxide fumigant for, 418
—tomato ringspot and tobacco ringspot viruses on, in Pennsylvania, 702
Grapevine, downy mildew
—dimethomorph efficacy for, 114
—severity prediction, 120
Grapevine virus A, detection of two strains, 898, (899)
Grau, C. R., 164
Graves, B., 989
Gray, F. A., 668
Greathead, A. S., 584
Greer, G. D., 690
Griesbach, J. A., 111
Griffin, D., 989
Gross, D. C., 430
Groth, J. V., 496
Guava, storage disease of, new, 253
Guayule, charcoal rot of, in Arizona, 219
Gubler, W. D., 161
Gudauskas, R. T., 615
Guignardia bidwellii, on grape, disease forecasting and spray programs, 638
Gulya, T. J., 721
Gwinn, K. D., 757
Gymnoconia nitens, on wild blackberry, cover photo, April
Gymnosporangium clavipes, on hawthorn, cover photo, August

Hagan, A. K., 615
Hagedorn, D. J., 322
Halfon-Meiri, A., 36
Hall, B., 114
Hall, T. J., 44, 608
Hammond, J. J., 385
Hams, F., 615
Han, J., 263
Hannusch, D. J., 683
Hansen, E. M., 267
Hansen, M. A., 183
Hanson, L. E., 1037
Hardaningsih, S., 309
Harrabi, M., 230
Harrington, T. C., 615
Harris, C. M., 418
Hartman, G. L., 252
Hartsell, P. L., 418
Harvey, J. M., 418
Hawk, J. A., 792
Hawksworth, F. G., 938
Haygood, R. A., 81, 510
Helicotylenchus pseudorobustus, on tall fescue, endophyte infection, 757
Helm, D. J., 860
Helminthosporium solani, resistance to thiabendazole, 614
Henderson, L. J., 683
Hendrix, J. W., 761
Hennon, P. E., 267, 316
Henson, D. J., 418
Henson, G., 761
Hepp, R. F., 320
Herrman, T. J., 246
Hershman, D. E., 132, 761, 938
Heterobasidion annosum, on eastern white pine, ozone relation, 552
Heterodera gambiensis, on pearl millet, in Niger, first report, 938
Heun, M., 747
Hewings, A. D., 844, 992, 1037
Hewitt, B. G., 168
Hibben, C. R., 604, 828
Hibino, H. 695
Hill, J. H., 56, 291
Hill, R. R., 680
Hirrell, M. C., 252
Hodges, C. F., 886
Hoffmann, G. M., 731
Holcomb, G. E., 720, 828
Holmes, F. W., 828
Holtzmann, O. V., 837
Holub, E. B., 164
Hook, J. E., 671, 704
Hooker, A. L., 530
Hoplolaimus magnistylus, on kenaf, first report in Mississippi, 828
Horne, E. W., 80
Horton, J. L., 668
Hosford, R. M., Jr., 385
Hsu, H. T., 695
Hsu, L. W., 824
Huang, H. C., 766
Huang, J. W., 27
Huang, P. -Y., 522
Huff, D. R., 80
Hunger, R. M., 356
Hunt, D. W. A., 81
Hydrangea, rust of, cover photo, July
Hydrilla verticillata, biocontrol, 1035
Hyphodontia aspera, on spruce and balsam fir, root and butt rot by, 615

Impatiens, crown rot of, control, 77
Impatiens, foliar blight, bacterial cause, 180, (181)
Ingram, D. M., 563
Instructions to authors, 88
Irey, M. S., 683
Iuli, R. J., 604

Jacobson, D. J., 778
James, D., 898
Janse, J. D., 252
Jesperson, G. D., 615
Jilka, J., 549
Jimenez-Diaz, R. M., 597
Jochimsen, K. N., 581
Johnson, A. W., 704
Johnson, D. A., 413, 430
Johnson, D. R., 391, 601
Johnson, D. W., 132
Johnson, E. L. V., 117
Johnson, K. B., 331
Johnsongrass mosaic virus, on oat and sorghum, virus differentiation, 549
Johnston, S. A., 771

Jones, J. B., 300, 528
Jones, O. R., 1006
Jordahl, J. G., 385
Jordan, R. L., 255
Jourdain, E. L., 868
Joye, G. F., 158, 1035
Joyner, T. G., 333
Jung, G. A., 828

Kabashima, J., 655
Kaiser, W. J., 563, 911
Kamel, A., 230
Kandler, O., 4
Kearney, C. M., 819
Keller, N. P., 530
Kemp, G. H. J., 631
Kenaf, lance nematode on, first report in Mississippi, 828
Kimmons, C. A., 757
Kirkpatrick, B. C., 252
Kitajima, E. W., 80
Klein, R. E., 911
Klepper, E. L., 782
Ko, N.-J., 621
Koch, C., 569
Koganezawa, H., 610
Kohli, M. M., 488
Koike, S. T., 180
Kozub, G. C., 766
Kraft, J. M., 716
Krupinsky, J. M., 442
Krusberg, L. R., 879
Kuhlman, E. G., 27, 1013
Kunkel, T. E., 913

Lacy, M. L., 1037
Lambert, D. H., 199, 285
Latin, R. X., 83, 183, 331
Lawrence, G. W., 828
Lazarides, E. D., 720
Leath, K. T., 680, 828
Leath, S., 747
Lee, I.-M., 40
Lee, R. F., 297, 863
Lee, R. R., 168
Leiner, R. H., 860, 901
Leininger, T. D., 552
Lenné, J. M., 676, 720, 935, 945
Leonard, K. J., 966
Leptographium wageneri, on ponderosa pine, ozone stress effect, 426
Leptosphaeria maculans, on canola, in Kentucky, 938
Letters
—disease assessment and product performance reporting, standardization, 401
—withering plant disease epidemiology, 82
Lettuce
—bacterial stem rot, in Ontario, 394
—corky root of: cover crop and ammonium nitrate effect, 584; in Florida, 394; host range, 581; soil fumigation for, 1022
—downy mildew of: fungicide control, 829; metalaxyl insensitivity, 81; pathogenesis, 173, (174-176)
—root rot, hydroponics, 1037
—tomato spotted wilt virus of, disease prediction and models, 211
Linde, A. R., 1037
Linderman, R. G., 141
Line, R. F., 739
Lirula macrospora, on Sitka spruce, sporulation in Alaska, 316
Lister, R. M., 974
Lobelia erinus, leaf blight and dieback of, new bacterial disease, 252
Lockhart, B. E., 530
Logrieco, A., 415
Lohweg, E., 252
Long, D. L., 555
Longenecker, J. L., 702
Lorbeer, J. W., 235
Loria, R., 614
Lund, R. E., 816
Lynch, K., 1037

MacDonald, J. D., 655
Mackill, A. O., 306
Macrophomina phaseolina
—on cowpea, external infection mechanism, 720
—on guayule, in Arizona, 219
—host range addition, 828
—on *Hydrilla*, biocontrol, 1035
—in soil, cropping system effect, 812
Madden, L. V., 638
Magnaporthe spp.
—*M. poae*, on bluegrass, first report in Ohio, 252
—*M. salvinii*, on rice, resistance screening in California, 54
Main, C. E., 1009
Maize (see Corn)
Maize dwarf mosaic virus
—on oat and sorghum, virus differentiation, 549
—on sweet corn: drought stress effect, 147; resistance, 359
Maloy, O. C., 183
Mandarin, gray heart rot of, cover photo, June
Mangifera indica, Phytophthora root and crown rot, in USA, 530
Mango, anthracnose of
—blotch miner association in micronesia, 253
—cover photo, July
Maple
—*Bacillus subtilis* on seedlings of, survival, 608
—Norway, Verticillium wilt variation in cultivars, 44
Maraite, H., 932
Marcinkowska, J., 716
Marshall, P. T., 604
Martin, F. N., 31
Martin, J. M., 246
Martin, R. R., 514
Martin, S. B., 510
Matejka, J. C., 138, 530
Mateo-Sagasta, E., 615
Matheron, M. E., 138, 530, 1037
Mathieson, J. T., 982, 1006
Mathre, D. E., 368
Matteoni, J. A., 81, 604
Mau, R. F. L., 274
May, D. M., 778
McCain, A. H., 646
McCain, J. W., 496
McCool, P. M., 310
McCreight, J. D., 868
McDaniel, L. L., 17
McGee, D. C., 908
McKay, F. J., 379
McKenry, M. V., 394
McLaughlin, J. A., 331
McLaughlin, M. R., 51
McLean, K. S., 828
McMillan, M. S., 80
McVey, D. V., 966
Melero-Vara, J. M., 597
Meloidogyne spp.
—*M. graminicola*, on white clover, in Mississippi, 1037
—*M. incognita*, on kiwifruit, in South Carolina, 81
—*M. marylandi*, on tall fescue, reproduction, 757
Melouk, H. A., 216
Menge, J. A., 21, 117
Menzies, J. G., 569
Merida, C. L., 614
Meronuck, R. A., 985
Mesina, E. M., 923
Michailides, T. J., 287, 537
Michelmore, R. W., 81
Microdochium nivale, on turfgrass, fungicides for, 687
Micrutalis malleifera, pseudo-curly top virus vector, serology, 17
Mihuta-Grimm, L., 996
Mihail, J. D., 219
Miles, G. E., 83
Miles, M. R., 207
Milholland, R. D., 522
Miller, J. B., 368
Miller, J. F., 721
Miller, R. W., 81
Miller, T. L., 313
Mills, L. J., 61
Minton, N. A., 1025
Mirabilis jalapa, *Clavibacter michiganensis* on, hypersensitivity, 58
Mitchell, J. K., 252
Mitchell, J. R., 83
Mitchell, W. C., 211
Models
—threshold decision, epidemic control of *Septoria* on wheat, 731
—tomato spotted wilt virus of lettuce, prediction, 211
Monette, P. L., 898
Monilinia spp.
—*M. fructicola*: blossom blight control with fungicides, 808; on cherry, fruit susceptibility, 280
—*M. vaccinii-corymbosi*, on blueberry, pruning method effect, 199
Monoclonal antibodies, rice grassy stunt virus detected by, 695
Morales, F. J., 648
Morgan, L. W., 1025
Morton, V., 401
Moss, M. A., 573, 800
Mtisi, E., 931
Mucor piriformis
—on Asian pear, cover photo, August
—on pome and stone fruits, postharvest disease in Pacific Northwest and California, 537, (538, 539, 541, 542)
Muehlbauer, F. J., 716
Muehlchen, A. M., 651
Mueller, A. E., 687
Mullen, J. M., 615
Munkvold, G. P., 518
Muramoto, M., 530
Murphy, J. F., 359
Murphy, J. P., 47
Murray, T. D., 183
Muskmelon
—Alternaria leaf blight of, resistance inheritance, 868
—cucumber mosaic virus of, titer determination and aphid transmission, 857
—disorders of, system for diagnosing, 83
—Fusarium wilt of, yield, disease incidence, and root colonization, 778
Musselman, R. C., 310
Mustard, leaf blight of, cover photo, October
Mycoplasmalike organisms
—ash yellows, geographic range and decline, 604
—chrysanthemum yellows, dot hybridization and blot analysis for detection, 40
Mycorrhizae, white pine, fungicide effect, 195
Mycosphaerella dendroides, on peach, gas exchange effect, 203
Mycotoxins
—aflatoxin, on corn, in Mississippi, 978
—*Alternaria* on mandarin, 415
—deoxynivalenol, wheat scab, 959

—trichothecenes and zearalenone, in corn, Gibberella ear rot association, 304

Nagata, R. T., 394
Nameth, S. T., 183, 255
Naude, S. P., 530
Ndunguru, B. J., 938
Nectria fuckeliana, on white fir, canker in California and Oregon, 178
Neely, D., 518
Nelson, D. A., 80
Nelson, L. R., 183
Nelson, M. R., 81
Nelson, S. C., 874
Nematicides, fenamiphos, role in corn yield decline, 704
Nematodes
—control in Hawaiian crops, changing agricultural system, 837, (838-840)
—on corn, yield decline role, 704
—on creeping bentgrass putting greens, spatial distribution, 660
—on turfgrass, fungicide relation, 879
Nene, Y. L., 812, 828
Nicholls, T. H., 54
Nielsen, M. T., 313, 956
Niessen, A. I., 648
Nikandrow, A., 796
Northover, J., 280
Nus, J. L., 886
Nyczepir, A. P., 698

Oak, silk-button spangle galls on leaf of, cover photo, November
O'Brien, R. D., 1022
Ocimum basilicum, chlorosis, physiological disorder in CO_2 atmosphere, 171, (172)
Odontoglossum ringspot virus
—cover photo, September
—on orchids, control, 621
Ogawa, J. M., 341, 558
Olexa, M. T., 108
Olson, A. J., 147
Onion
—Botrytis leaf blight, control with fungicides, efficacy, 235
—internal decay, *Enterobacter* cause, 692, (693)
—*Pythium*, metalaxyl, and mycorrhizal relation, 117
Orchids, viruses of, control, 621, (621, 622, 624)
Orum, T. V., 219
Oster, J. J., 545
Ostry, M. E., 54
Ott, S., 788
Ozmon, E. A., 496
Ozone (see also Air pollution)
—ponderosa pine stressed by, black stain effect, 426
—white pine affected by, root disease incidence, in North Carolina, 552

Padgett, G. B., 614
Palmer, M. A., 195
Papavizas, G. C., 771
Parke, J. L., 651
Parmeter, J. R., Jr., 178
Parsley, Septoria blight, Ontario, 1037
Pasture pathology, tropical, 945, (946, 947, 949, 950)
Pataky, J. K., 147, 183, 359, 792
Pataky, N. R., 183
Pauly, M. H., 792
Pea, Aphanomyces root rot of, green manure effect, 651
Peach, *Mucor piriformis* on fruit of, insect transmission, 287
Peanut
—Cylindrocladium black rot, soil fumigants for, 438, (441)
—diseases and yields: irrigation and fungicides affecting, 277; pesticides and tillage effects, 1025
—Rhizoctonia limb rot of, control factors affecting, 671
—Sclerotinia blight, seed transmission, 216
—tomato spotted wilt virus of, in Alabama, 615
Peanut stripe virus, two strains in Taiwan, comparison, 593, (594)
Pear, black spot of, in Greece, new disease, 720
Pecan, leaf blotch, gas exchange affected by, 203
Penicillium spp.
—*P. digitatum*, on citrus fruit, imazalil for control, factors, 927
—*P. oxalicum*, on sweet corn, seedling blight factors, 36
Pennisetum glaucum
—brown leaf spot of, in Zimbabwe, 931
—downy mildew and rust of, resistance sources, 871
—*Heterodera gambiensis* on, first report in Niger, 938
—*Phyllosticta penicillariae* on, first report in USA, 331
Pepper, *Pythium*, metalaxyl, and mycorrhizal relation, 117
Pepper, W. D., 1013
Percich, J. A., 391
Peronosclerospora sorghi, on sweet corn, in Illinois, 183
Pesticides
—changes, symposium, 103
—risk, decision making, symposium, 105
Peterson, J. L., 77
Phaseolus vulgaris
—anthracnose, first report in Ontario, 394
—common bacterial blight, survival and strains in debris, 322
—Fusarium root rot, genetic and cultural control, 61
—germ plasm collection, bean common mosaic virus incidence in, genetic diversity, 911
—southern bean mosaic virus on, in Nicaragua, first report, 938
Phellinus robustus, basidiocarp on almond, cover photo, May
Phipps, P. M., 438
Phoma spp.
—*P. betae*, on sugar beet, resistance, 353
—*P. medicaginis*: on alfalfa roots, pathogenicity, 680, (681, 682); isolate variation, symptom expression on alfalfa, 668
Phomopsis sp., on *Xanthium* spp., pathogenicity and biocontrol, 796
—*P. obscurans*, on strawberries, outbreak in Connecticut, 331
Phyllosticta spp.
—*P. andropogonivora*, on bluestem grasses, leaf spot, 442
—*P. penicillariae*, on pearl millet, first report in USA, 3315
Phytophthora spp., on ornamentals, detection using ELISA and culture plates, 655
—*P. cactorum*, on apple rootstocks, necrosis in stool beds, 141
—*P. cambivora*, on apple rootstocks, necrosis in stool beds, 141, (143)
—*P. capsici*, in soil, survival factors, 771
—*P. cinnamomi*: on avocado, resistance, quantitative analysis, 882; on azalea, fungicide treatment, landscape survival, 635; on cranberry, root rot and dieback in Massachusetts, 664, (665, 666)
—*P. citrophthora*, on citrus: irrigation effect, 21; rootstock resistance, method, 66, (67)
—*P. cryptogea*: on lettuce, hydroponics, 1037; on sugar beet, root rot in Wyoming, 614
—*P. infestans*, on tomato, detection by aerial photography, 589
—*P. megasperma*, on soybean, first report in Virginia, 183
—*P. palmivora*, on mango, root and crown rot, 530
—*P. parasitica*: from citrus, effect on lemon and tomato, 138; on citrus, tolerance in chlamydospore-infested soil, 743; on tobacco, resistance detection technique, 3135
Pierce, L., 646
Pilowsky, M., 248
Pine
—blister rust, in New Mexico, 938
—loblolly, pitch canker, cone colonization, 1002, (1004)
—ponderosa, ozone-stressed, black stain, 426
—red and jack, *Sphaeropsis* cankers of, stress effect, 54, (55, 56)
—seedling root rot of, cover photo, March
—slash: damping-off in Georgia, fungi associated, 27; fusiform rust, field resistance, 969
—white: root disease and ozone injury, in North Carolina, 552; soilborne pathogens of, management in nursery, 195
Pineapple, nematode control of, in Hawaii, problems in changing agricultural systems, 837
Pinus luchuensis, pitch canker of, in Japan, 530
Plant protection, antitranspirant epidermal coatings, use in China, 263
Plasmopara spp.
—*P. halstedii*, races of, international system for designation, 721
—*P. lactucae-radicis*: on lettuce, pathogenesis, 173, (174-176); on lettuce roots, cover photo, February
—*P. viticola*: on grapevine, dimethomorph for, 114; oospore maturity, infection prediction in grapevine, 120
Pohronezny, K., 573, 800
Poinsettia
—basal stem rot, new disease, 828
—stem canker and leaf spot, in Florida, 528, (529)
Polymyxa betae, beet necrotic yellow vein virus vector, on sugar beet, 31
Poschenrieder, G., 252
Postharvest diseases, *Penicillium digitatum* on citrus fruit, imazalil for control, 927
Postharvest pathology
—blueberry fruit fungi, 285
—corn grain storage, moisture in blends, 985
—grape decay, fumigant for, 418
—green and blue mold and sour rot of citrus, postharvest biocontrol, 134
—pome and stone fruits, *Mucor* cause, in Pacific Northwest and California, 537
Potato
—early blight of, resistance and rotation effect, 849
—*Rhizoctonia solani* on, plant and soil origin, 901
Poulos, B. T., 720
Powell, C. A., 702, 904
Powell, C. C., 333
Powers, H. R., 1013
Poysa, V., 294
Pratylenchus scribneri, on tall fescue, reproduction, 757
Pretorius, Z. A., 631
Prior, P., 13, 962
Provvidenti, R., 151, 819, 828
Prunus serotina, biocontrol with

Chondrostereum purpureum, risk analysis, 189, (189)
Pseudocercosporella herpotrichoides, on wheat
—fungicide seed treatments, 782
—resistance related to Cephalosporium stripe resistance, 852
Pseudo-curly top virus, serological analysis, 17, (19)
Pseudomonas spp.: on rice, characteristics and comparison with epiphytes, 917; on tomato, stem necrosis, 124
—*P. cichorii*: on chrysanthemum, isolation from soil, leaves, and buds, 300; on lettuce, occurrence in Ontario, 394
—*P. corrugata*, on tomato, pith necrosis in Massachusetts, 80
—*P. fluorescens*, on horseradish, root rot complex, 391
—*P. fuscovaginae*, on wheat, sheath rot in Mexico, 932, (934)
—*P. solanacearum*: on Alexandra palm tree, new host in Australia, 615; strains in French West Indies, characteristics, 13, 962
—*P. syringae*: on cherry laurel, leaf spot in Spain, 615; on impatiens, cover photo, February; on *Impatiens*, foliar blight, 180, (181); on mung bean, leaf spot and stem collapse, 394; on sweet cherry, control in Oregon, 577
—*P. viridiflava*, on poinsettia, in Florida, 528, (529)
Puccinia spp.
—*P. coronata*, on oats, cover photo, August
—*P. graminis*: races in USA, in 1988, survey, 555; spelt wheats, resistance, 966
—*P. melanocephala*, on sugarcane, severity associated with soil factors in Florida, 683
—*P. penniseti*, on pearl millet, resistance sources, 871
—*P. recondita*, on wheat, resistance components, 631
—*P. striiformis*, races, North America and Europe, cultivar reactions, 739
Pumpkin, zuccinia yellow mosaic virus on, not seed transmitted, 828
Purcifull, D. E., 593
Purdy, L. H., 493
Pyrenochaeta lycopersici, on tomato, survival, temperature, and resistance relation, 889
Pyrenophora spp.
—*P. teres*, on barley, virulence spectrum in Mediterranean, 230
—*P. tritici-repentis*, on wheat, factors affecting, 385
Pythium spp.: on chickpea, seed rot and damping-off control in USA and Spain, 563; on ornamentals, detection using ELISA and culture plates, 655
—*P. aphanidermatum*, metalaxyl resistance in, fosetyl-Al resistance induced, 690
—*P. ultimum*: on cotton, onion, and pepper, metalaxyl treatment effect on roots and mycorrhizae, 117; on New Guinea impatiens, control, 77; on sweet corn, biocontrol by seed treatment, 368

Radish, beet leafhopper transmitted by virescence agent, 252
Raid, R. N., 81, 683, 828
Rand, R. E., 322, 651
Randhawa, P. S., 300
Rane, K. K., 80, 331
Rasmussen, S. L., 81, 173
Rasmusson, D. C., 207
Raspberry, late yellow rust, cover photo, September
Raspberry bushy dwarf virus, transmission and field spread, 514
Ratcliffe, D., 379
Raworth, D. A., 365
Ray, D. T., 219
Read, J. C., 183
Reddy, M. V., 127, 812, 828
Regner, K. M., 430
Rehms, L. D., 816
Renfro, B. L., 952
Resistance
—alfalfa to *Aphanomyces euteiches*, specificity, 164
—avocado to Phytophthora root rot, quantitative analysis, 882
—barley to spot blotch, 207
—*Brassica* to beet western yellows virus, 327
—chickpea to Ascochyta blight, patterns, 127
—dogwood to anthracnose, 828
—hypersensitivity, four-o'clock to bacteria, 58
—muskmelon: to *Alternaria*, inheritance, 868; to Fusarium wilt, factors, 778
—pearl millet to downy mildew and rust, 871
—pine seedlings to fusiform rust, 969, 1013
—rice: to *Gerlachia oryzae*, 306; to stem rot, screening method, 545; to tungro virus diseases, 923
—spelt wheats to stem rust, 966
—strawberry to anthracnose crown rot, 69
—sugar beet to crown and root rot pathogens, 353
—sweet corn to maize dwarf mosaic virus, 359
—wheat: to leaf rust, components, 631; to root rot, black point, and spot blotch, 224; to *Septoria tritici*, measurement, 488; to wheat soilborne mosaic virus, 356
Rettinger, J. C., 83
Reviewer acknowledgment, 90
Rhinhart, K. E. L., 788
Rhizoctonia spp., on centipedegrass and St. Augustinegrass, characterization and pathogenicity, 510
—*R. solani*: AG-3, virulence, potato origin, 901; fungicide sensitivity, binucleate *Rhizoctonia* comparison, 860; on New Guinea impatiens, control, 77, (78); on ornamentals, detection using ELISA and culture plates, 655; on peanut, control factors affecting, 671; on peanut, fungicide and irrigation factors, 277; on soybean, aerial blight, cover photo, February; on soybean, anastomosis group 1, 501, (502); on soybean, resistance, 353; on soybean, row spacing and plant population effect, 158; on soybean, seedling blight, AG-1, 485, (487); on sugar beet, previous crop effect, 421; on wheat, fungicide seed treatments for, 782
Rhizomonas suberifaciens, on lettuce
—cover crop and ammonium nitrate effect, 584
—cover photo, December
—host range, 581
—in Florida, 394
—soil fumigation for, 1022
Rice
—grain discoloration and sheath rot, *Pseudomonas* characteristics and epiphytes, 917
—leaf scald, resistance to, 306
—stem rot resistance, screening for in California, 545
Rice, D. J., 274
Rice grassy stunt virus, detection using monoclonal antibodies, 695
Rice tungro sperical virus, tungro viruses compared to, resistance, 923
Ries, S. M., 1037
Rizzo, D. M., 615
Roberts, D. E., 852
Roberts, J. J., 555
Rodriguez, R., 680
Roelfs, A. P., 555
Rose, rosette disease, dsRNA association, 56
Rowe, R. C., 996
Rufty, R. C., 47
Ruhl, G. E., 183
Rush, C. M., 421, 982, 1006
Ryegrass, endophyte infection, 183

Sackston, W. E., 721
Sanders, P. L., 690
Sands, D. C., 816
Santos, V. M., 80
Sardanelli, S., 879
Sasser, M., 300
Sauer, D. B., 985
Saunders, J. A., 81
Schaffer, B., 573
Scheepens, P. C., 189
Schenck, S., 837
Schenk, J., 800
Schettini, T., 81
Schmidt, R. A., 969
Schreiber, L. R., 44
Schreiner, I. H., 253
Schroth, M. N., 646
Schultz, M. E., 178
Schwartz, H. F., 80
Sclerospora graminicola, on pearl millet, resistance sources, 871
Sclerotinia spp.
—*S. minor*, on peanut, seed transmission, 216
—*S. sclerotiorum*: on *Apios americana* and *Trillium foetidissimum*, new hosts, 720; on sunflower, cyclic occurrence in Canada, 766; on sweet pepper, cover photo, June; on winged bean, cover photo, July
Scott, G. E., 627, 978
Sepiah, M., 253
Septoria spp.
—*S. lycopersici*, on tomato, inoculation method for resistance screening, 294
—*S. nodorum*, on wheat: resistance components, diallel analysis, 47; threshold decision model for epidemic control, 731
—*S. petroselini*, on parsley, Ontario, 1037
—*S. tritici*, on wheat, resistance measurement, 488
Serrano golden mosaic virus, on pepper and tomato, whitefly-transmitted, 720
Setliff, E. C., 331
Seywerd, F., 569
Shaffer, J. A., 828
Shane, W. W., 252, 333
Shaner, G., 959
Shantz, G. M., 394
Sharma, S. B., 938
Shaw, C. G., III, 267
Shaw, D. A., 558
Shaw, M. E., 252
Shefelbine, P. A., 238
Shelby, R., 615
Shennan, C., 584
Sherwood, J. L., 356
Shew, H. D., 1009
Shipp, J. L., 81
Shishkoff, N., 889, 894
Shrier, R., 615
Shtienberg, D., 849
Shukla, D. D., 549
Silbernagel, M. J., 61
Sinclair, W. A., 604
Sindermann, A. B., 844, 992
Sindermann, A. E., 844
Singh, K. B., 127
Singh, R. P., 80
Singh, S. D., 871, 931
Singh, S. K., 812, 828
Sippell, D. W., 938
Smalley, E. B., 304

Smilanick, J. L., 418
Smiley, R. W., 782, 788
Smith, B. J., 69, 1016
Smith, C., 505
Snow, J. P., 485, 501, 614
Soika, M. D., 690
Solel, Z., 36, 66
Sonoda, R. M., 945
Sorghum, downy mildew, on sweet corn, cover photo, February
Sorghum mosaic virus, on oat and sorghum, virus differentiation, 549
Southern bean mosaic virus, in Nicaragua, first report, 938
Soybean
—aerial and web blight, *Rhizoctonia solani* AG-1, 485
—bacterial pustule of, inoculation technique, 309
—bean pod mottle virus of, distribution in Kentucky, 132
—Choanephora leaf blight, in Louisiana, 614
—Phytophthora root rot, first report in Virginia, 183
—Rhizoctonia aerial blight, row spacing and plant population effect, 158
—Rhizoctonia foliar blight, types in Louisiana, 501, (502)
—sudden death syndrome: cover photo, October; factors in Kentucky, 761
Soybean dwarf virus
—antigens of, variation with time after inoculum and age, 844
—host range, strains, threat, 992
Soybean mosaic virus, on *Centrosema* spp., strain detection, 648, (649, 650)
Sphaeropsis sapinea, canker on pines, stress effect, 54, (55, 56)
Spinach, white rust, control with metalaxyl, 913
Spotts, R. A., 287, 537, 577
Spradley, J. P., 252
Spruce
—needle blight of, symptoms in Alaska, 316
—red, root and butt rot of, 615
Spurrier, E. C., 103
Stace-Smith, R., 514
Stangellini, M. E., 81, 173, 1037
Stanosz, G. R., 604
Statistics, multiple comparison, microcomputer utility, 333
Stemphylium vesicarium, on asparagus, debris management, 413
Stenotaphrum secundatum, *Rhizoctonia* spp. on, pathogenicity, 510
Sterrett, J. L., 310
Steva, H., 13, 962
Stier, J. C., 252
Stigmina platani, conidia on sycamore leaf, cover photo, September
Stites, J., 655
Stobbs, L. W., 394
Stolzy, L. H., 21
Strawberry
—anthracnose: detection in soil, 161; resistance factors, 1016
—*Colletotrichum* spp. on, variation, 69, (73, 74)
—pallidosis disease of, greenhouse study, 814
—Phomopsis leaf blight, outbreak in Connecticut, 331
Strawberry mottle virus
—aphid transmission from *Chenopodium quinoa*, 320, (320, 321)
—incidence related to vector number, 365
Streptomyces sp., on carrot, scab, 1037
Strizyk, S., 120
Stromberg, E. L., 183
Stuckey, R. E., 761
Stylosanthes scabra, anthracnose
—cover photo, May
—moisture factor, 379
Subba Rao, K. V., 614
Sugar beet
—crown and root rot, previous crop effect, 421
—Phytophthora root rot, in Wyoming, 614
—*Rhizoctonia*, *Phoma*, and *Botrytis* on, combined resistance, 353
—rhizomania of, fumigation for control, 31
Sugarcane
—nematode control of, in Hawaii, problems in changing agricultural systems, 837
—rust of, severity related to soil factors in Florida, 683
Sugarcane bacilliform virus, in germ plasm collection, widespread occurrence, 530
Sugarcane mosaic virus, on oat and sorghum, differentiation of, 549
Sumner, D. R., 277, 704
Sunflower, Sclerotinia wilt of, cyclic occurrence in Canada, 766
Suparyono, 792
Sutton, T. B., 643, 1029
Sycamore, anthracnose of, epidemiology, 989
Synchytrium desmodii, on *Desmodium*, survival and yield effect from, 676
Sztejnberg, A., 66

Tabashnik, B. E., 211
Tedford, E. C., 313, 956
Testicularia cyperi, on *Rhynchospora*, cover photo, July
Teviotdale, B., 394
Thanassoulopoulos, C. C., 720
Thanatephorus cucumeris, on tobacco, target spot, 1009, (1011)
Theiling, K. M., 331
Thielaviopsis basicola, on corn-salad, 81
Thomas, C. E., 868
Thomas, P. E., 327
Thomson, S. V., 711
Threadgill, E. D., 704
Thurston, H. D., 95
Tidball, C. J., 141
Tilletia indica
—sporidial production, media effect, 525
—on wheat, effect on germination, viability, and vigor of seed, 130
Timmer, L. W., 168
Tisserat, N. A., 660
Tobacco
—alfalfa mosaic virus on, genotype variation, 956
—black shank of, resistance detection technique, 313
—grapevine virus A on, strain detection, 898
—target spot, etiology, 1009, (1011)
Tobacco mosaic virus, on bean and tobacco, insecticidal soap effects, 201
Tobacco ringspot virus
—on bean and tobacco, insecticidal soap effect, 201
—on grapevine, with tomato ringspot virus, in Pennsylvania, 702
Tober, D. A., 442
Todd, T. C., 660
Tolin, S. A., 844
Tomato
—bacterial spot, management during thinning, 800
—bacterial stem necrosis, new disease, 124, (126)
—bacterial wilt, strains in French West Indies, 962
—corky root of, temperature and cultivar resistance, 889
—Fusarium crown and root rot: benomyl, 996; occurrence in New Brunswick, 1037
—late blight of, detection by aerial photography, 589
—pith necrosis: *Erwinia* cause, 615; occurrence in Massachusetts, 80
—*Phytophthora parasitica* virulence, 138
—root discoloration, *Fusarium oxysporum* cause, 894, (896)
—Septoria leaf spot of, inoculation method for screening seedlings, 294
—serrano golden mosaic virus on, whitefly-transmitted, 720
—*Verticillium dahliae* race 2 on, in South Africa, 530
—*Xanthomonas campestris* on, three races in Taiwan, 252
Tomato ringspot virus
—detection using monoclonal antibodies, 904
—on grapevine, with tobacco ringspot virus, in Pennsylvania, 702
Tomato spotted wilt virus
—detection with ELISA, specific antisera, 154
—on lettuce, disease-prediction and models, 211
—on peanut, in Alabama, 615
—on pepper, in Midwest USA, 183
—RNA, dot blot detection, using cDNA clones, 274
—on solanaceous crops, aluminum-surfaced mulch, 805
—on vegetables, in Ontario, 81
Tomato yellow leaf curl virus, tolerance derived from *Lycopersicon peruvianum*, 248
Torres, C., 676
Tosic, M., 549
Townsend, A. M., 44
Tran Manh Sung, C., 120
Trapero-Casas, A., 563
Tree decline (see also Forest decline)
—*Sphaeropsis* canker of pines, in Minnesota and Wisconsin, 54
—wood decay pathology, fruit and nut trees, 341, (344, 345, 349)
Trillium foetidissimum, *Sclerotinia sclerotiorum* on, new host, 720
Tripepi, R. R., 394
Tsai, J. H., 17
Tu, J. C., 294, 394
Tubakia dryina
—on oak, cover photo, August
—on oaks and other hardwoods, pathogenicity, 518, (519)
Tuite, J., 959
Turfgrass (see also Bentgrass and Bluegrass)
—endophyte, nematodes, and thatch related to fungicides, 879
Turmeric, leaf spot of, cover photo, October
Tyler, K. B., 778
Typhula spp., on turfgrass, fungicides for, 687

Uddin, W., 788
Ulocladium cucurbitae, on cucumber, in New York, 824, (825)
Urocystis agropyri, on *Poa pratensis*, water stress effect, 886
Uromyces spp.
—*U. appendiculatus*: aecial and pycnial stages in Colorado, 80; virulence frequency, phenotypic and genotypic polymorphism, 496
—*U. setariae-italicae*, on *Brachiaria humidicola*, in South America, 720
Ustilago spp.
—*U. buchloes*, on buffalograss: cover photo, January; in Texas, 80
—*U. bullata*, on bromegrass, first report in Saskatchewan, 615
—*U. striiformis*, on bluegrass, water stress effect, 886
Uyenaka, J., 1037

Vachris, J. W., 201
Vakalounakis, D. J., 227
Valenzuela, H., 573
Valerianella locusta, Thielaviopsis root rot of, 81
Valverde, R. A., 111, 151, 255
van Beuningen, L. T., 488
van Bruggen, A. H. C., 581, 584, 1022
van der Merwe, P. C., 530
van der Zwet, T., 711
Van Schagen, J. G., 394
Vargas de Alvarez, A., 935
Vaughn, M. R., 80
Venturia inaequalis, on apple, disease forecasting and spray program, 638
Verreet, J. A., 731
Verticillium dahliae
—on horseradish, root rot complex, 391
—on maple, cultivar variation, 44
—on tomato, race 2 in South Africa, 530
Vigna radiata, bacterial leaf spot and stem collapse, 394
Vincelli, P. C., 235, 614
Viruses, diagnosis using dsRNA, analysis, 255
Visconti, A., 415
Viveros, M., 394
Volk, E., 814

Waliyar, F., 938
Wall, G. C., 80, 253
Wallick, K., 171
Wang, M., 154
Warham, E. J., 130, 525
Watermelon
—bacterial fruit blotch, in Indiana, 331
—fruit blotch: cover photo, April, January; outbreak in Mariana Islands, 80
Watson, G., 401
Weeks, D. L., 356
Weeks, J. R., 615
Weidemann, G. J., 796
Wheat
—bacterial mosaic, in Illinois, 1037
—bacterial sheath rot: in Mexico, 932, (934); *Pseudomonas* cause, cover photo, November
—black chaff, first report in Washington, 183
—Cephalosporium stripe: inoculum in residue, host genotype effects, 238; resistance related to strawbreaker resistance, 852
—common root rot: forage production effect, 982; tillage effect, 1006
—glume blotch of: cover photo, October; resistance components using diallel analysis, 47
—Karnal bunt of, seed factors, 130
—leaf rust of, resistance components, 631
—pink seed of, in Idaho, 81
—powdery mildew of, resistance gene identification, 747
—root and culm diseases, flutolanil and tolclofos-methyl effect on, 788
—root rot, black point, and spot blotch, cultivar reaction to, 224
—root rot, take-all, and eyespot, fungicides for, 782
—rust races on, North America and Europe, differentials, 739
—scab, in Indiana, quality, 959
—*Septoria nodorum* of, epidemic control using threshold decision model, 731
—Septoria tritici blotch, resistance, measurement, 488
—spelts, stem rust resistance, 966
—tan spot of: factors affecting, 385; first report in Arkansas, 252
Wheat soilborne mosaic virus, resistance and host development, 356
Wheat streak mosaic virus, on winter wheat
—cover photo, March
—detection, 974
—wheat yellow mosaic virus, detection methods, 974
White clover, viruses of, seeding rate and interplanting effect, 51
White clover mosaic virus, seeding rate and interplanting factors affecting, 51
White fir, *Nectria* canker of, in California and Oregon, 178
White, T. L., 969
Whitney, E. D., 31
Wick, R. L., 80, 183, 615
Wicklow, D. T., 304
Wicks, T., 114
Wilborn, R., 426
Wilcox, W. F., 614, 664, 808
Wilcoxson, R. D., 207
Wilkins, D. E., 782
Wilkinson, C. A., 47
Williams, P. H., 938
Williams, R., 401
Wilson, C. L., 134
Wilson, E. W., 252
Wilson, J. P., 331
Wilsonomyces carpophilus, on almond, environmental monitoring system, 558
Windham, G. L., 1037
Winner, W. E., 552
Winter, S. R., 421
Wisler, G. C., 621
Wong, S.-M., 621
Wyatt, S. D., 911

Xanthium spp., biocontrol with fungi, 796
Xanthomonas campestris
—on barley seed, heat treatment for eradication, 816
—on citrus, strains, cultivar-specific interaction, 753
—on cocoyam, leaf spot and necrosis, 573, (576)
—detection from citrus using entrapment immunofluorescence, 863, (866)
—on *Lobelia*: cover photo, March; new bacterial disease, 252
—on pepper and tomato, three races in Taiwan, 252
—on soybean, inoculation technique, 309
—strain identification, viscosity test, 646
—survival and strains in bean debris, 322
—on tomato, management during thinning, 800
—on wheat seed, first report in Washington, 183

Xanthosoma sagittifolium, bacterial spot of, symptoms, 573, (576)
Xylella fastidiosa, on grapevine, strains, growth on media, 522

Yan, D., 132
Yanase, H., 610
Yang, C. H., 252
Yang, S.-M., 601
Yang, X. B., 485, 501
Young, C. H., 969
Yudin, L. S., 211
Yusmani, 309

Zadoks, J. C., 82, 189
Zagula, K. R., 974
Zeigler, R. S., 917
Zettler, F. W., 593, 621
Zink, F. W., 778
Zinnen, T. M., 171, 201
Zinnia, acidic fog injury, 310
Zitter, T. A., 824, 857
Zucchini yellow mosaic virus
—in Ontario, first report, 394
—on pumpkin, no seed transmission, 828
Zummo, N., 627, 978
Zygophiala jamaicensis, on apple, conidial dispersal, 643